Free Estimates!

Free Job Site Consultation!

Your Home Solution

Gift

Certificates Available

Lignetics

40-Lb. Bags **Wood Pellet Fuel** Smoke-less and pollution free. (8221681)

Sale Starts Now, Ends 9/30/13

www.neathawklumber.com



Pot Belly Stove

Cast iron. Cool-touch spring handle with convenient ash door and tray. Burns either coal or wood.

Wood Pellet Stove

Built-in blower system. Heats up to 1,500 sq. ft. 40-lb. hopper. Includes outside air kit.

Wood Pellet Stove

70-lb. hopper. Double auger system. Brass louvers and window trim. Model 25PDV. (9908773)

Pellet Stove Insert

Heats approximately 2,000 sq. ft. Burns 2-5 pounds per hour. Works with masonry or pre-fab fireplaces. (3295748)

Sale prices valid at both St. Lewisburg, WV and Covington, VA store locations

Wood Pellet Stove

Heats up to 2,200 sq. ft. 80-lb. hopper capacity. One-touch ignition. Large ash drawer. (55-SHPIP)

LIVE BURN

Covington Location ONLY

Englander STOVES **DEMONSTRATION**

Englander

Wood Burning Stove Heats up to 1,800 sq. ft.

Convenient ash drawer. Accepts up to 18" logs. Outside air hook-up. Firebox is 1.8 cu. ft. (9520206)

Boxwood Heater

All cast iron radiates heat naturally.Two 6" lift-out cook lids with lid lifter. Heats up to 800 sq. ft. (6225411)

Wood Circulator

Metal cabinet with lift top reveals two raised cook surfaces. Burns up to 5 hours on one load of fuel. Firebox is lined with firebrick. (0255067)

Ash Vacuum

Cleans warm and cool ash out of fireplaces, Genesis wood and pellet stoves. Heat-resistant filter system. 10 amp. 3 gallon. (5094016)

Pellet/Corn **Stove Vent Kit**


Kit contains: 3" horizontal cap, 3" 90° elbow, 3" wall bracket, (5) 3" one-foot pipe lengths, 3" tee with cleanout, 3" wall thimble, and 3" pipe connector. System rated for flue temperatures up to 570°. (4771333)

ASELKIRK.



Stay Warm & Cozy with Great Prices!

Lower Your Utility Bills With New Doors & Windows



NEATHAWK

LARSON

Storm Doors

The leader in the storm door industry.

Northwood Midview Storm Door

32" or 36". Self storing. 1" wood core. White with white hardware. (N8008031) (N8008032)

DuraTech® Midview **Storm Door**

32" or 36". DuraTech finish over wood core. Brass finish SecureLock handle. Limited lifetime warranty. (3705032) (3705036)



Comfort-Bilt Storm Door

1" thick self-storing storm door. Self-storing window and fixed screen for bottom ventilation. Weatherstripping seals out drafts, weather and pests. Durable push button black handle. White or mill finish. (5362611) (2602585)

Your Choice

Midview Rolscreen® **Storm Door**

32" or 36". Rolscreen® retractable screen. 1" thick solid core. Brass exterior handle with keylock; interior handle that matches door. (P392560332) (P392560331)





In Every Door.

Steel Entry Doors

32" or 36", LH or RH, 4%" jamb, single bore. Reinforced steel doors add beauty as well as security.

6-Panel Steel (TT6P28) (TT6P30)



New Construction Single Hung Windows

White vinyl. Screen included.

24" x 36" (CROFT2030)	\$79
36" x 36" (CROFT3030)	\$83
36" x 48" (CROFT3040)	\$90
36" x 60" (CROFT3050)	\$109

Revive your home's exterior!

9-Light Steel

28" x 39"

32" x 39"

32" x 55"

36" x 39"

Custom Sizes Available

(C202839)

(C203239)

(C203255)..

Locally Owned & Operated For 64 Years



ROCKWELL

10" Compound Miter Saw

14 amps. Horizontal D-handle. Quick-lock miter adjustment. 5,200 RPM no-load speed.

\$129



17" Blade Runner **Jigsaw**

7 amps. Durable, low-friction stainless steel table top. Portable and lightweight.

\$149

ROCKWELL

10" Compound **Miter Saw**

14 amps. Bevel adjusts from 0-45°. Includes adjustable rollers, dust bag and work clamp. (9211053)

ROCKWELL

Chop Saw w/Quick-Set Clamp


Lightweight stamped steel base with lock-down chain for easy transportation. Vertical loop handle. Includes spanner wrench and cutting disc. (5365549)

ROCKWELL

Table Saw

Laser indicator for consistent accuracy. Cuts 4x4 in one pass.

\$364



2 gallon. Uniquely designed to handle finishing tools and other light duty applications. (GR152CM)

\$167



4 gallon. Overload protection with manual reset. Initial oil fill included. (GR254CTS)



HITACHI

10" Compound Laser Miter Saw

15 amp. 0-52° miter angle range to the right and left. 0-48° bevel angle range to the left with adjustable bevel stops. Includes 10" saw blade, vice assembly with knob bolt, 10mm box wrench and 4mm hex bar wrench.

While supplies last

7-1/4" Tnakita. Circular Saw Kit

15-amp motor. LED light switch operates independently from the trigger. (5007F)

4-1/2" Angle Grinder

Rotatable gear housing can be positioned every 90° for cutting applications (GA4530)





6,750 starting watts. Gas powered 357cc engine. 6.6 gallon fuel tank. 16 hour run time at 50% load. Noise reduction Pulse Flo muffler. Four 120-volt and one 120/240V twist outlets. (WH5500)

7,500W **Portable** Generator

420cc OHV 4-stroke engine. 9,000 starting watts. 6.6 gallon fuel tank.

30-Amp Outdoor Power Inlet Box

May be installed outdoors up to 100' from a home's load center so your generator can be plugged in outside, away from open doors or windows

25' 30-Amp Generator Cord

Twist-to-Lock male and female plugs for 30-amp portable generators and power transfer switches (2182939)









NEATHAWK

Knowledgeable, Friendly Sales Staff With Many Years Experience



 $1/2'' \times 6'$ **Pipe Insulation** For hot and cold water

pipes. Self sealing. Flame retardant added. (4630232)

 $3/4'' \times 6'$ \$1.99 (0459156).

1" x 6' \$2.19 (0306639)



Slide On Door Sweep/Stop

Keeps cold air out in the winter. The sweep and fins block out drafts and dust.



3/8" Foam Weatherstrip Waterproof, self-stick. Fills irregular gaps.

3/16" thick x 17" long. Gray. (V443)





C Front King

1-1/4" Foam Camper **Mounting Tape** 3/16" thick x 30' long. Seals out drafts, dust



3/8" FOAM

VEATHERSTRIP





Foam

Board

11/2" x 4" x 8'.

(11/2PINKFOAM)

R-7.6. Pink foam.

Fiberglass Insulation **1**%



AttiCat® Blown-In Insulation

Buy 10 Bags -Get 1 Day Rental of AttiCat **Blowing Machine**



R-13 THERMAL & AC

100% Silicone Rubber Sealant 10.1 Oz. 50-year durability

guarantee. White. (3107802)

Asashco.

Through The Roof!™ Sealant

10.1 Oz. Waterproof. Clear. (6012389)





Gaps & Cracks Foam Sealant

12 Oz. Insulating foam sealant. For gaps up to 1".





Big Gap Filler 12 Oz. Expands to fill, seal and insulate. For gaps greater than 1". (6417257)





Window & **Door Sealant** 12 Oz. Expands to seal and insulate without

bowing. (6798003)



Weatherize and feel the savings!

Your Complete Heating Store

Gray Metal Products, Inc.





9" x 9" **Chimney Cap** Black painted over

galvanized steel. Protects internal fireplace and keeps out rain, birds, animals and debris. (6321475)

9" x 13" (6393458)



\$28



#RUTLAND

6" Round **Chimney Brush**

Stiff, oil-tempered spring wire bristle. Designed for homeowner use. (6447445)

8" (6448013).....\$12

6" Square Chimney Brush

Stiff, oil-tempered spring wire bristle. Open single-spiral design with plated shafts. (6450175)

\$18 8" (6450415)...

Stove Board 32" x 42'. Protects

floors from intense heat, hot coals. ashes and soot. Can be used under kerosene, gas and electric heaters. Fire retardant class 1. indentation resistant and 1/2" thick. (4030474)





Black Stove Pipe 6" x 24". 24 gauge. (8365108)

6" Black Adiustable Elbow Adjusts from straight through 90°. (8365637)

\$6.50

6" Black Corrugated Elbow





6" 3-Wall Chimney Pipe

Imperial

Corrosion-resistant stainless steel and sturdy galvanized steel for strong chimney construction. Lightweight pipe with snap-lock joints offers faster, easier installations. (6818900)

6" Chimney **Installation Kit**

Ceramic fiber refractory blanket withstands intermittent temperatures up to 2100°E. Noncombustible, thin and lightweight. (6188619)



Lignetics

<u>Fire Starter Gel</u>

16 Oz. Fast, easy 1-match starter for pellet stoves, fireplaces and campfires. Pours on smooth and clings to firewood. (1940006)

\$7.75



Hi-Temp Stove Gasket Cement

2.3 Oz. Black silicate ceramic-type cement. Adheres all types of gasket materials to airtight stoves. Withstands temperatures to 2000°F. (8424244)



Stove Paint

12 Oz. Resists peeling and blistering from temperatures up to 1200°. Nongraying and colorfast. Dries very quickly to an even flat black finish. (2424505)




RUTLAND

Super Red **High Heat** Silicone Sealant

10.3 Oz. Adheres to glass, metal, masonry, plastic, fiberglass, aluminum, wood, copper, brick, slate and ceramic. Up to 550°F continuous, 600°F intermittent. No odor. (6739957)





llicone

ealant



Have Your Fencing Projects Done Before The Snow Flies





The perfect gate between

12' (6EG12) \$59

pastures and entries.

16' (6EG16)

Many other sizes and styles available.

MintCraft PRO

60" Wedge **Point Bar**

18 Lbs. Drop forged and heat treated for superior strength during prying and tamping. (8712465)

RANGHWASTER



High Tensile Barbed Wire

15-1/2 Gauge. 4 Point. Heavy duty galvanized. Extra sharp barbs. Class 3 zinc coated. No stretching required when installing. Barbs fixed between wires. (4944799)

MintCraft PRO

69" Posthole Digger/Tamp Bar

Use for cleaning rocks and roots from post holes and ditches. Forged carbon steel.

94912-330' Fencing

49" tall. High-tensile woven wire fence. Features a unique knot that locks the horizontal and vertical wires together. 12" vertical stays. 10-year warranty. (ST821)

6" Vertical Stays

CHAN NEL LOCK

10-1/2" Plier/ **Fence Tool**

Hammer on jaw, staple starter and puller and wire stretcher, splicers and 2 cutters. (6217509)

\$192

Post Hole Digger

SEYMOUR.

Post Driver w/Handle Employs a pile-driver movement to set posts accurately and without strain. Made of heavy-gauge steel. (6811731)

5-1/2" blade spread. 48" long No. $\hat{3}$ grade lacquered hardwood handle. (6824536)

TRUPER

Post Hole Digger

48" fiberglass handle. 10" blade. (4919478)

Fruit Harvester

Includes vinyl-coated steel wire basket with thick foam cushion pad to protect fruit from bruising. 89" white ash handle. (6964951)



OUR PEOPLE MAKE THE DIFFERENCE... TOP 10 Reasons To Let Us Serve You!

1. Ability to furnish the latest innovations in the building trades

- 2. Knowledgeable sales staff
- 3. Outside sales staff will provide job-site building solutions
- 4. One-stop shopping from the foundation to the finish
- 5. Experienced interior designers on staff
- 6. Competitive pricing
- 7. Special-order experts
- 8. Convenient job-site delivery
- 9. Complete line of high-quality framing lumber in stock
- 10. American-made windows and doors are our specialty

Sale Ends 9/30/13

771 North Jefferson St. Lewisburg, WV 24901 (304) 645-1351 Toll Free (888) 492-7107

Mon. - Fri. 7-6; Sat. 7-2

NEATHAWK LUMBER

Your Home Solution



connect with us on:



- Gift Certificates
- Free Job Site Consultations
- Free Estimates

598 E. Madison St. Covington, VA 24426 (540) 962-1351

> Toll Free (877) 277-8097

Mon. - Fri. 7:30-5:30; Sat. 8-12

Merchandise not in stock may be ordered upon request. Occasionally merchandise may not be available because of circumstances beyond retailer's control. Their right to limit quantities is reserved. Retailer is not responsible for pricing errors and may withdraw any offer containing any.

Visit Our Product Showroom at www.neathawklumber.com