

## 42% START TO FINISH DAIRY BEEF SUPPLEMENT

FORM:	Pellet	
MEDICATION:	Monensin Tylosin	300 g/ton 90 g/ton

**APPLICATION:** A supplement designed to be fed to dairy beef calves and feedlot cattle from 700 lb. to market weight. Medicated for improved feed efficiency and reduction of incidence of liver abscesses caused by Fusobacterium necrophorum and Actinomyces pyogenes.

**FEEDING DIRECTIONS:** Mix 200 lbs. of 542DBRT with 1800 lbs. of whole shell corn. This grain mix should be full-fed to the cattle. Care should be taken to ensure that mix and water are available to the cattle at all times. Feed and water supply should be checked at least twice daily.

## CAUTION:

Do not allow horses or other equines access to formulations containing Monensin. Ingestion of Monensin by equines has been fatal. Feeding undiluted or mixing errors resulting in high concentrations of Monensin could be fatal to cattle. Must be thoroughly mixed in feeds before use; do not feed undiluted.

## **GUARANTEED ANALYSIS:**

Crude Protein (Min.)	42.0%	
(Includes not more than 25% equivalent crude		
protein from non-protein nitrogen)		
Crude Fat (Min.)	1.0%	
Crude Fiber (Max.)	6.0%	
Calcium (Ca) (Min.)	6.0%	
Calcium (Ca) (Max.)	8.0%	
Phosphorus (P) (Min.)	0.8%	
Salt (NaCl) (Min.)	3.5%	
Salt (NaCl) (Max.)	4.5%	
Potassium (K) (Min.)	4.5%	
Vitamin A (Min.) 20	),500 IU/lb.	
Vitamin D (Min.)	5,000 IU/lb.	

## **PRODUCT REFERENCE**